

PUBLICACIONES REVISTAS INTERNACIONALES

- **Galve E**, Candell-Riera J, Pigrau C, Permanyer-Miralda G, García-del-Castillo H, Soler-Soler J. Prevalence, morphologic types, and evolution of cardiac valvular disease in systemic lupus erythematosus. *N Engl J Med* 1988; 319: 817-823.
- **Galve E**, García-del-Castillo H, Evangelista A, Batlle J, Permanyer-Miralda G, Soler-Soler J. Pericardial effusion in acute myocardial infarction. Incidence, natural history, and clinical relevance. *Circulation* 1986; 73: 294-300.
- **Galve E**, Sambola A, Saldaña A, Quispe I, Nieto E, Diaz A, Evangelista A, and Candell-Riera J. Late benefits of dual-chamber pacing in obstructive hypertrophic cardiomyopathy. A 10-year follow-up study. *Heart* 2010; 96:352-6.
- **Galve E**, Ordi J, Barquinero J, Evangelista A, Vilardell M, Soler-Soler J. Valvular heart disease in the primary antiphospholipid syndrome. *Ann Intern Med* 1992; 116: 293-8.
- **Galve E**, Rius T, Ballester R, Artaza MA, Arnau JM, García-Dorado D, Soler-Soler J. Intravenous amiodarone in treatment of recent-onset atrial fibrillation: Results of a randomized, controlled study. *J Am Coll Cardiol* 1996; 27: 1079-82.
- **Galve E**, Ordi J, Candell-Riera J, Permanyer-Miralda G, Vilardell M, Soler-Soler J. Valvular heart disease in systemic lupus erythematosus (letter). *N Engl J Med* 1989; 320: 739-741.
- **Galve E, Mallol A**, Catalan R, Palet J, Mendez S, Nieto E, Diaz A, Soler-Soler J. Clinical and neurohumoral consequences of diuretic withdrawal in patients with chronic, stabilized heart failure and systolic dysfunction. *Eur J Heart Fail* 2005;7:892-8.
- **Galve E**, Angel J, Evangelista A, Anivarro I, Permanyer-Miralda G, Soler-Soler J. Bidirectional shunt in uncomplicated atrial septal defect. *Br Heart J* 1984; 51: 480-484.
- **Galve E**, Angel J, Evangelista A, Anivarro I, Permanyer-Miralda G, Soler-Soler J. Development of atrial shunts with age. *Ann Intern Med* 1984; 101: I-6.
- **Galve E**, Permanyer-Miralda G, Tornos MP, Oller G, Roma F, Soler-Soler J. Self-limited acute pericarditis as initial manifestation of primary cardiac tumor. *Am Heart J* 1992; 123: 1690-2.
- **Galve E**. Estatinas postinfarto. Un beneficio incuestionable. Una estrategia terapéutica perfeccionable. *Arch Cardiol Mex* 2002; 72: 58-67.
- **Galve E**, Rius T, Ballester R, Sagristà J, Garcia-del-Castillo H, Garcia-Dorado D, Soler-Soler J. Intravenous amiodarone in treatment of recent-onset atrial fibrillation (letter). *J Am Coll Cardiol* 1996; 28: 1080-2

- **Galve E**, García-del-Castillo H, Evangelista A, Candell J, Permanyer-Miralda G, Soler-Soler J. Pericardial effusion during myocardial infarction. *Cardiovascular Board Review* 1986; 3: 61-73.
- **Galve E**, Candell-Riera J, Pigrau C, Permanyer-Miralda G, García-del-Castillo H, Soler-Soler J. Echocardiographic evaluation of Cardiac Valvular Disease in Systemic Lupus Erythematosus. *Cardiovascular Board Review* 1989; 6: 71-87.
- **Galve E**. Characteristics of cardiac valvular involvement in systemic Lupus erythematosus. *Biomedicine and Pharmacotherapy* 1989; 43: 535.
- **Galve E**. Valvular Heart Disease in Primary Antiphospholipid Syndrome. *Cardiology Digest* 1992; 6: 17-18.
- Cordero A, Bertomeu-Martínez V, Mazón P, Martín-Raymondi D, Palma JL, Anguita M, Lekuona I, **Galve E**, González-Juanatey JR. Short-term metabolic changes achieved by weight loss in hypertensive patients. *Int J Cardiol*. 2010 Sep 17 . [Epub ahead of print].
- **Galve E**, Sambola A, Saldaña A, Quispe I, Nieto E, Diaz A, Evangelista A, and Candell-Riera J. Late benefits of dual-chamber pacing in obstructive hypertrophic cardiomyopathy. A 10-year follow-up study. *Heart* 2010; 96:352-6.
- Soler-Soler J, **Galve E**. Worldwide perspective of valve disease. *Heart* 2000; 83: 721-25.
- Soler-Soler J, **Galve E**. QT dispersion after myocardial infarction with heart failure: additional prognostic marker?. *Eur Heart J* 1999; 20: 1146-8.
- Tornos MP, Permanyer-Miralda G, Olona M, Gil M, **Galve E**, Almirante B, Soler-Soler J. Long-term complications of native valve infective endocarditis in non-addicts. A 15-year follow study. *Ann Intern Med* 1992; 117: 567-572
- Villard E, Perret C, Gary F, Proust C, Dilanian G, Hengstenberg C, Ruppert V, Arbustini E, Wichter T, Germain M, Dubourg O, Tavazzi L, Aumont MC, DeGroot P, Fauchier L, Trochu JN, Gibelin P, Aupetit JF, Stark K, Erdmann J, Hetzer R, Roberts AM, Barton PJ, Regitz-Zagrosek V; Cardiogenics Consortium, Aslam U, Duboscq-Bidot L, Meyborg M, Maisch B, Madeira H, Waldenström A, **Galve E**, Cleland JG, Dorent R, Roizes G, Zeller T, Blankenberg S, Goodall AH, Cook S, Tregouet DA, Tiret L, Isnard R, Komajda M, Charron P, Cambien F. A genome-wide association study identifies two loci associated with heart failure due to dilated cardiomyopathy. *Eur Heart J* 2011; 32: 1065-76.
- Evangelista-Masip A, Bruguera-Cortada J, Serrat-Serradell R, Robles-Castro A, **Galve-Basilio E**, Alijarde-Guimerá M, Soler-Soler J. Influence of mitral regurgitation on the response to captopril therapy for congestive heart failure caused by idiopathic dilated cardiomyopathy. *Am J Cardiol* 1992; 69: 373-376.

- Candell-Riera J, Díez-Castro M, **Galve-Basilio E**. Estenosis tricuspídea por enfermedad de Hodgkin. *Rev Urug Cardiol* 2006; 21: 252-4.
- Tornos MP, **Galve E**, Pahissa A. Clinical considerations regarding infective Libman-Sacks endocarditis. *Int J Cardiol* 1985; 5: 409-412.
- Rodes-Cabau J, Palacios A, Palacio C, Girona J, **Galve E**, Evangelista A, Casaldaliga J, Albert D, Pico M, Soler-Soler J. Assessment of the markers of platelet and coagulation activation following transcatheter closure of atrial septal defects. *Int J Cardiol*. 2005; 98:107-12.
- Bonet S, Agustí A, Arnau JM, Vidal X, Diogene E, **Galve E**, Laporte JR. Betablockers in congestive heart failure: is there a difference between classes?. *Arch Intern Med* 2000; 160: 3005-6.
- Bonet S, Agustí A, Arnau JM, Vidal X, Diogene E, **Galve E**, Laporte JR. Beta-adrenergic blocking agents in heart failure. Benefits of vasodilating and nonvasodilating agents according to patients' characteristics: A meta-analysis of clinical trials. *Arch Intern Med* 2000; 160: 621-27.
- Martínez-Useros C, **Galve-Basilio E**, Oller-Cid G. Acute myocardial ischemia resulting in dynamic obstruction to the left ventricular outflow relieved by successful angioplasty. *Int J Cardiol* 1992; 37: 165-168.
- Porcel JM, Selva A, Tornos MP, **Galve E**, Soler-Soler J. Resolution of cardiac tamponade in systemic lupus erythematosus with indomethacin. *Chest* 1989; 96: 1193-1194.
- Alijarde-Guimerá M, Evangelista A, **Galve E**, Olivé S, Anivarro I, Soler-Soler J. Useless diagnostic value of exercise-induced R wave changes in coronary heart disease. *Eur Heart J* 1983; 4: 614-621.
- Evangelista A, Batlle J, García del Castillo H, **Galve E**, Soler-Soler J. Phonoecardiographic findings in disc variance of a Beall mitral prosthesis. *Am Heart J* 1984; 108: 178-180.
- Castell J, Fraile M, García A, Encabo G, Cortadellas J, **Galve E**, Candell J. Pericardial and myocardial localization of antimyosin in a case of acute myocarditis. *J Nucl Med* 1994; 35: 469-70.
- Tornos MP, Permanyer G, Olona M, Gil M, **Galve E**, Almirante B, Soler-Soler J. Native valve infective endocarditis: long term complications and survival. *Cardiovascular Board Review* 1993,10:40-47
- Romero-Farina G, Candell-Riera J, **Galve E**, Armadans L, Ramos F, Castell J, Aguade S, Nogales JM, Soler-Soler J. Do myocardial perfusion SPECT and radionuclide angiography studies in adult patients with hypertrophic cardiomyopathy have prognostic implications? *J Nucl Cardiol*. 2004;11:578-86.

